

**Proven
Performance**

McCloskey
INTERNATIONAL

R70



R70 High Energy Screener

The McCloskey R70 delivers the versatile, heavy duty configuration expected of the R-series, packaged in a machine that is economical and very easy to transport. A perfect fit for contractors that tackle large numbers of smaller construction/ demolition, site remediation and other heavy duty jobs.



Features & Benefits

High Energy 4' x 9' (1.22m x 2.75m)



Screenbox –
10mm throw at 950RPM provides the most aggressive screening action in the R70's class.

Oversize Conveyor –
Discharging oversize material at 11'-1" (3.38m) the 42" (1050mm) wide 3 ply belt allows for efficient stockpiling.

5.5 Cubic Yard (4.2 m3) Hopper –
Equipped with a 48" (1200mm) heavy duty 4 ply belt designed for heavy duty applications.

Large Open Engine Bay –
Allows easy access for service. Powered by 84hp Tier III JCB.





R70 Dimensions and Weight

Transport Length -	31'-9" (9.86m)
Transport Width -	8'-2" (2.50m)
Transport Height -	10'-6" (3.20m)
Weight -	39,683 lbs (18,000kg)

See it in action...

View working videos, customer testimonials and more at www.mccloskeyinternational.com

McCloskey

INTERNATIONAL

N.America & S.America
#1 McCloskey Road, RR#7
Peterborough, Ontario Canada,
K9J 6X8
1-877-876-6635
T (705) 295-4925
F (705) 295-4777
sales@mccloskeyinternational.com

UK & International
47 Moor Road,
Coalisland,
Co Tyrone,
N.Ireland BT71 4QB
T +44 (0) 2887-740-926
F +44 (0) 2887-747-242
salesuk@mccloskeyinternational.com

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



Standard Features



Durability

JCB 444 84HP Tier III Engine
David Brown Pumps
Twopack paint system
High quality low restriction hydraulic system for lower fuel consumption and lower oil temperatures



Maintenance/User Friendly

Accessible engine bays
Fixed galvanized walkways
Radio control tracks
10 min setup time
Anti seize coarse thread take-ups
Easy access for screen changes
Compact travel dimensions

Authorized dealer.