

**Proven
Performance**

McCloskey INTERNATIONAL **R105**



R105 High Energy Screener

Following on from the highly successful R155, McCloskey International have developed the R105 High Energy Screener. Offering the highest stockpile height and screening area in its class, and meeting European regulation transport width, the R105 is versatile and produces optimum output for screening and recycling applications.

“Having experienced the benefits of our R155 we have now purchased a McCloskey R105. It is easily maneuverable from site to site and is ideal for recycling inert material.”

Clive Holloway, Sustainable Aggregates Ltd,
England.



Options

Hopper extension
wing plates



Punch plate,
finger deck and
bofar bar deck



Woven mesh
deck



Hardox plate
feeder



Features and Benefits

Regulation

Transport Width -

Machine meets European regulation for transport at 2.55m.

Heavy Duty Build -

One of the most robust and durable machines in the market with a weight of 23,000 kgs.

High energy 12' x 4.5'



(3660 x 1370mm) - Provides highest product capacity in its class.



Wide chutes -

Optimal chute design minimises potential spillage and blockages.

Side Conveyor

stockpile height - Highest stockpile height in it's class at 3600mm.





R105 Dimensions and Weight

Length working	12.65m (41' - 6")
Width working	12.52m (41' - 1")
Length transport	12.75m (41' - 10")
Width transport	2.55m (8' - 4")
Height transport	3.20m (10' - 6")
Weight track	23,000 Kgs (50,700 lbs)

See it in action...
View working videos, customer testimonials and more at www.mccloskeyinternational.com



UK & International

47 Moor Road,
Coalisland,
Co Tyrone,
N.Ireland BT71 4QB
T +44 (0) 2887-740-926
F +44 (0) 2887-747-242
salesuk@mccloskeyinternational.com

Canada

1 McCloskey Road, RR7
Peterborough, Ontario Canada,
K9J 6X8
1-877-876-6635
T (705) 295-4925
F (705) 295 4777
sales@mccloskeyinternational.com

USA

McCloskey International
P.O. Box 2263, West Chester
PA 19380, USA
1-877-876-6635
T (705) 295 4925
F (705) 295 4777
sales@mccloskeyinternational.com

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



Standard features



Durability

Branded components throughout
- CAT Engine, David Brown Pumps,
2 Pack Paint system.

Heavy duty hardox steel.

Innovative design.

High efficiency diesel hydraulic system allows higher throughput and lower fuel consumption.



Maintenance / User friendly

Accessible engine bays.

Fixed galvanised walkways.

Universal user friendly controls throughout the McCloskey line.

10 min setup time.

Highly maneuverable onsite.

Unique user friendly belt adjusters.

Authorised Dealer